

Exterior walls 2x6 wood stud
Interior walls 2x4 wood stud, unless noted otherwise

② 2x wood studs on the flange

- ③ 2x6 wood stud wall, 18' oc
⑥ 2x6 wood stud wall, 16' oc
- Note: 2x4 wood stud wall, 16' oc unless otherwise noted.

A
30" x 22" Minimum Attic Access
Panel - Insulated (R-34" x 26")



- | | |
|-----------|---|
| F | Field locale for planning or mechanical |
| V | Verify size of feature or appliance
against dimensions to accommodate |
| S | Shut - Door or window item will be snug
and may need to be cut down |
| C | Center - Place door or window centered
on wall |
| D | Double Shut or structural nail - adapt to
suit chosen window brand.
Object is to leave some "head" for curtain
hardware and exterior aesthetics. |
| B4 | Window Head H appears 84" (or number shown)
See Note 9 below |

Dimensions are to face of stud, unless noted otherwise.
Closures are 24" clear inside, unless dimensioned otherwise

1. Sq ft numbers are entered in room for use in calculating fireplaces.

Notes

- [illegible]



These are "stock" home plans, designed to meet the requirements of following IRC 2009 code sections:

- [illegible]

These drawings, and the design they describe, are copyright protected materials. Axiom Home Plans and the designer reserve all rights.


[illegible][illegible]

You use of these drawings constitutes an acceptance of our terms and conditions, including our policy on the use of these drawings, and on our web site: http://www.aedon.com/joins.com/join_pjrt.php

If you have any concerns or questions, please feel free to contact us at info@aedon.com. We also offer technical support for artists that use your responsibility. We are not responsible for any liability, or accidental deletion.

ALPHEA DRIVE # 220000 R
D 2002-2010 Wendy Weiss 621451-955
Hartner Rose

32-Proposed
Circuit: NY




1. Railed Doors: Provide fire rated and/or self-closing doors where required by local codes or local authorities.

2. **Tilted Openings:** Tilted openings not shown on schedule. See [Panel 1](#).
3. **Window Tempering:** Tempered windows were required by local authorities. Tempering column provided here for convenience. Windows have not been reviewed for tempering requirements.
4. **Window RO₂:** 14% or 1/2" on each of 4 sides applied for window RO₂s. Typical. Review framing details as RO₂ is. Adjust per manufacturer's requirements and/or balder preference.
5. **Exterior Windows:** Provide minimum one dock or interior meeting point requirements. In basement, in each sleeping room, in each partial sleeping room, and other locations required by local code, in areas required by local code. Note that casement windows should be constructed as inswing. IRC 2006 egress requirements typically need to be ordered with specific details.
6. **Basement Windows:** Add basement windows as required to meet state or local code requirements, including but not limited to egress and light/electricity.
7. **Sloping:** Slopes are not shown on this schedule, but may be required. Corral balder and/or see floor plan.
8. **Minimum Window sill height:** IRC 2006 and other codes that upper floor window sills be 24" from floor.
9. **When "BO" high windows:** add, install with window heights (at 24, 1/2" or more).

NUMBER	DO	COON	DOOR	STRAPE	COUVENTS
D01	1	0	5564	15	DOOR HINGED
D02	1	0	6298	17	DOOR HINGED
D03	2	0	6070	16	DOOR HINGED
D04	1	1	5568	15	DOOR HINGED
D05	1	1	5568	15	DOOR HINGED
D06	1	1	5568	15	DOOR HINGED
D07	1	1	5568	15	DOOR HINGED
D08	1	1	5568	15	DOOR HINGED
D09	1	1	5568	15	DOOR HINGED
D10	1	1	5568	15	DOOR HINGED
D11	1	1	5568	15	DOOR HINGED
D12	1	1	5568	15	DOOR HINGED
D13	1	1	5568	15	DOOR HINGED
D14	1	1	5568	15	DOOR HINGED
D15	1	1	5568	15	DOOR HINGED
D16	1	1	5568	15	DOOR HINGED

LIBRARY	QTY	1871	1884	1893	1895	1900	1905	1910	1915	1920	1925	1930	1935	1940	1945	1950	1955	1960	1965	1970	1975	1980	1985	1990	1995	2000	2005	2010	2015	2020	2025	2030	2035	2040	2045	2050	2055	2060	2065	2070	2075	2080	2085	2090	2095	2100	2105	2110	2115	2120	2125	2130	2135	2140	2145	2150	2155	2160	2165	2170	2175	2180	2185	2190	2195	2200	2205	2210	2215	2220	2225	2230	2235	2240	2245	2250	2255	2260	2265	2270	2275	2280	2285	2290	2295	2300	2305	2310	2315	2320	2325	2330	2335	2340	2345	2350	2355	2360	2365	2370	2375	2380	2385	2390	2395	2400	2405	2410	2415	2420	2425	2430	2435	2440	2445	2450	2455	2460	2465	2470	2475	2480	2485	2490	2495	2500	2505	2510	2515	2520	2525	2530	2535	2540	2545	2550	2555	2560	2565	2570	2575	2580	2585	2590	2595	2600	2605	2610	2615	2620	2625	2630	2635	2640	2645	2650	2655	2660	2665	2670	2675	2680	2685	2690	2695	2700	2705	2710	2715	2720	2725	2730	2735	2740	2745	2750	2755	2760	2765	2770	2775	2780	2785	2790	2795	2800	2805	2810	2815	2820	2825	2830	2835	2840	2845	2850	2855	2860	2865	2870	2875	2880	2885	2890	2895	2900	2905	2910	2915	2920	2925	2930	2935	2940	2945	2950	2955	2960	2965	2970	2975	2980	2985	2990	2995	3000	3005	3010	3015	3020	3025	3030	3035	3040	3045	3050	3055	3060	3065	3070	3075	3080	3085	3090	3095	3100	3105	3110	3115	3120	3125	3130	3135	3140	3145	3150	3155	3160	3165	3170	3175	3180	3185	3190	3195	3200	3205	3210	3215	3220	3225	3230	3235	3240	3245	3250	3255	3260	3265	3270	3275	3280	3285	3290	3295	3300	3305	3310	3315	3320	3325	3330	3335	3340	3345	3350	3355	3360	3365	3370	3375	3380	3385	3390	3395	3400	3405	3410	3415	3420	3425	3430	3435	3440	3445	3450	3455	3460	3465	3470	3475	3480	3485	3490	3495	3500	3505	3510	3515	3520	3525	3530	3535	3540	3545	3550	3555	3560	3565	3570	3575	3580	3585	3590	3595	3600	3605	3610	3615	3620	3625	3630	3635	3640	3645	3650	3655	3660	3665	3670	3675	3680	3685	3690	3695	3700	3705	3710	3715	3720	3725	3730	3735	3740	3745	3750	3755	3760	3765	3770	3775	3780	3785	3790	3795	3800	3805	3810	3815	3820	3825	3830	3835	3840	3845	3850	3855	3860	3865	3870	3875	3880	3885	3890	3895	3900	3905	3910	3915	3920	3925	3930	3935	3940	3945	3950	3955	3960	3965	3970	3975	3980	3985	3990	3995	4000	4005	4010	4015	4020	4025	4030	4035	4040	4045	4050	4055	4060	4065	4070	4075	4080	4085	4090	4095	4100	4105	4110	4115	4120	4125	4130	4135	
---------	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--



Second Floor

32
for construction only at
38 Ridgeway, Greenland, NH
by or for Chisbury Builders

87

Perform Home Paints

If you have any concerns or questions, please feel free to contact us. We are happy to clarify matters and tell you our scope, as stated in the first paragraph. We can also often provide additional support for issues that may arise independently, such as entry concerns, or additional work.



Arkoma Home Plans

© 2008-2010 Wendy T'Jalton

607 431,955

ENDS


603 5536



Your use of these drawings constitutes an acceptance of responsibility as outlined in "Dear Cash Officer" on the first page of these drawings, and on our web site: http://www.aiaaonlineplans.com/nc_gmt.php


If you have any concerns or questions, please feel free to contact us. We are happy to clarify matters that fall within our scope, as listed on the first page. We can also often provide affordable support for issues that are your responsibility, such as energy diagnostics, or additional detailing.

Back Elevation




Foundation steps may vary to suit grade

Left Elevation



Foundation steps may vary to suit grade



Purposes of story pole is to determine compliance with 2011 International Residential Code (IRC) Section R602.3.1. Story pole shall be constructed and used in accordance with the following:

- 1. Story pole shall be constructed of 2x4 lumber.
- 2. Story pole shall be constructed of 2x4 lumber.
- 3. Story pole shall be constructed of 2x4 lumber.
- 4. Story pole shall be constructed of 2x4 lumber.
- 5. Story pole shall be constructed of 2x4 lumber.
- 6. Story pole shall be constructed of 2x4 lumber.
- 7. Story pole shall be constructed of 2x4 lumber.
- 8. Story pole shall be constructed of 2x4 lumber.
- 9. Story pole shall be constructed of 2x4 lumber.
- 10. Story pole shall be constructed of 2x4 lumber.
- 11. Story pole shall be constructed of 2x4 lumber.
- 12. Story pole shall be constructed of 2x4 lumber.
- 13. Story pole shall be constructed of 2x4 lumber.
- 14. Story pole shall be constructed of 2x4 lumber.
- 15. Story pole shall be constructed of 2x4 lumber.
- 16. Story pole shall be constructed of 2x4 lumber.
- 17. Story pole shall be constructed of 2x4 lumber.
- 18. Story pole shall be constructed of 2x4 lumber.
- 19. Story pole shall be constructed of 2x4 lumber.
- 20. Story pole shall be constructed of 2x4 lumber.
- 21. Story pole shall be constructed of 2x4 lumber.
- 22. Story pole shall be constructed of 2x4 lumber.
- 23. Story pole shall be constructed of 2x4 lumber.
- 24. Story pole shall be constructed of 2x4 lumber.
- 25. Story pole shall be constructed of 2x4 lumber.
- 26. Story pole shall be constructed of 2x4 lumber.
- 27. Story pole shall be constructed of 2x4 lumber.
- 28. Story pole shall be constructed of 2x4 lumber.
- 29. Story pole shall be constructed of 2x4 lumber.
- 30. Story pole shall be constructed of 2x4 lumber.
- 31. Story pole shall be constructed of 2x4 lumber.
- 32. Story pole shall be constructed of 2x4 lumber.
- 33. Story pole shall be constructed of 2x4 lumber.
- 34. Story pole shall be constructed of 2x4 lumber.
- 35. Story pole shall be constructed of 2x4 lumber.
- 36. Story pole shall be constructed of 2x4 lumber.
- 37. Story pole shall be constructed of 2x4 lumber.
- 38. Story pole shall be constructed of 2x4 lumber.
- 39. Story pole shall be constructed of 2x4 lumber.
- 40. Story pole shall be constructed of 2x4 lumber.
- 41. Story pole shall be constructed of 2x4 lumber.
- 42. Story pole shall be constructed of 2x4 lumber.
- 43. Story pole shall be constructed of 2x4 lumber.
- 44. Story pole shall be constructed of 2x4 lumber.
- 45. Story pole shall be constructed of 2x4 lumber.
- 46. Story pole shall be constructed of 2x4 lumber.
- 47. Story pole shall be constructed of 2x4 lumber.
- 48. Story pole shall be constructed of 2x4 lumber.
- 49. Story pole shall be constructed of 2x4 lumber.
- 50. Story pole shall be constructed of 2x4 lumber.
- 51. Story pole shall be constructed of 2x4 lumber.
- 52. Story pole shall be constructed of 2x4 lumber.
- 53. Story pole shall be constructed of 2x4 lumber.
- 54. Story pole shall be constructed of 2x4 lumber.
- 55. Story pole shall be constructed of 2x4 lumber.
- 56. Story pole shall be constructed of 2x4 lumber.
- 57. Story pole shall be constructed of 2x4 lumber.
- 58. Story pole shall be constructed of 2x4 lumber.
- 59. Story pole shall be constructed of 2x4 lumber.
- 60. Story pole shall be constructed of 2x4 lumber.
- 61. Story pole shall be constructed of 2x4 lumber.
- 62. Story pole shall be constructed of 2x4 lumber.
- 63. Story pole shall be constructed of 2x4 lumber.
- 64. Story pole shall be constructed of 2x4 lumber.
- 65. Story pole shall be constructed of 2x4 lumber.
- 66. Story pole shall be constructed of 2x4 lumber.
- 67. Story pole shall be constructed of 2x4 lumber.
- 68. Story pole shall be constructed of 2x4 lumber.
- 69. Story pole shall be constructed of 2x4 lumber.
- 70. Story pole shall be constructed of 2x4 lumber.
- 71. Story pole shall be constructed of 2x4 lumber.
- 72. Story pole shall be constructed of 2x4 lumber.
- 73. Story pole shall be constructed of 2x4 lumber.
- 74. Story pole shall be constructed of 2x4 lumber.
- 75. Story pole shall be constructed of 2x4 lumber.
- 76. Story pole shall be constructed of 2x4 lumber.
- 77. Story pole shall be constructed of 2x4 lumber.
- 78. Story pole shall be constructed of 2x4 lumber.
- 79. Story pole shall be constructed of 2x4 lumber.
- 80. Story pole shall be constructed of 2x4 lumber.
- 81. Story pole shall be constructed of 2x4 lumber.
- 82. Story pole shall be constructed of 2x4 lumber.
- 83. Story pole shall be constructed of 2x4 lumber.
- 84. Story pole shall be constructed of 2x4 lumber.
- 85. Story pole shall be constructed of 2x4 lumber.
- 86. Story pole shall be constructed of 2x4 lumber.
- 87. Story pole shall be constructed of 2x4 lumber.
- 88. Story pole shall be constructed of 2x4 lumber.
- 89. Story pole shall be constructed of 2x4 lumber.
- 90. Story pole shall be constructed of 2x4 lumber.
- 91. Story pole shall be constructed of 2x4 lumber.
- 92. Story pole shall be constructed of 2x4 lumber.
- 93. Story pole shall be constructed of 2x4 lumber.
- 94. Story pole shall be constructed of 2x4 lumber.
- 95. Story pole shall be constructed of 2x4 lumber.
- 96. Story pole shall be constructed of 2x4 lumber.
- 97. Story pole shall be constructed of 2x4 lumber.
- 98. Story pole shall be constructed of 2x4 lumber.
- 99. Story pole shall be constructed of 2x4 lumber.
- 100. Story pole shall be constructed of 2x4 lumber.

Window Story Pole

Your use of these drawings constitutes an acceptance of responsibility as outlined in "Owner Code of Ethics" on the first page of these drawings, and on our web site: http://www.aftonhomeplans.com/faq_pdp	
If you have any concerns or questions, please feel free to contact us. We are happy to clarify matters that fall within our professional support for these plans. We can also often provide additional suggestions or additional details.	
Afton Home Plans 12500 E. 1st Ave. Suite 100 Denver, CO 80231 Tel: 303.555.5555 Fax: 303.555.5555 Email: info@aftonhomeplans.com	Handout Rose 32 - Drawing: 14 4

XC 205 PHE

